No 23

No. 11

On the Use of Turpentine
— in Epilepsy —

By James H. B. Malcomson

Read Mar 29 1817

Emily
and obst
promises
be fairly
experiment
acquainted
of such a
which sta
tion the
of the rem
for it cure
inefficacy
This would
were we
in our a
to the nec
the preserv
Bearing th
operations.

C
ed in Spit

Epilepsy is a disease, frequent in its occurrence and obstinate in its nature. Every expedient which promises the slightest chance of success in its cure should be fairly and cautiously tested by a judicious course of experiments, until we have become clearly and fully acquainted with its powers. All admit the propriety of such a proceeding. But, there are many obstacles which stand in the way of its adoption. Not to mention the general obstinacy and fatality of the disease, most of the remedies which have been so confidently recommended for its cure, have either fallen into disuse, from their entire inefficacy, or are retained merely as palliatives. This would effectually dampen all spirit of enquiry were we not impressed with the belief that a failure in our attempts to cure diseases, is not attributable to the necessarily fatal nature of those diseases, but to the present imperfect state of Medical Science. Bearing this in mind fresh vigour will be added to our exertions.

Among the numerous remedies recommended in Epilepsy is the Oleum Terebinthinæ. Of

late it p
of Ph ici
instance ep.
ascer ine
more espe
ject. S
taken ch
kind. "D
require the
cumstance
the medicin
deficiency
that deficie
Dr. Ph clea
tained occ
application
W
first place
time as e
remarks o

late its use in that disease has much excited the attention of Physicians. And, it is said to have proved successful in many instances. With the view of testing its efficacy and of ascertaining, to what particular cases of the disease, it was more especially adapted I took up the consideration of the subject. I am well aware of the requisites which an Experimentalist should be possessed of in the pursuit of a subject of this kind. "Besides" says Moore "natural acuteness and sagacity, it requires the exact weighing of every concomitant and collateral circumstance which can promote, retard, or prevent the effect of the medicine at the time it is administered". Confessing my deficiency in this respect however, I am happy to state that that deficiency was amply supplied by my able Preceptor Dr. Prideaux in whose practice most of the cases I have detailed, occurred and whose judgement guided me in the application of the remedy.

With these introductory remarks, I proceed in the first place to a detail of the cases in which the Turpentine was exhibited, and propose next to make a few remarks on each of them.

San. Ar
placed
on the 1
which c
twelfem
From the
out to its
bone as in
no evidenc
ease.
her prens
the disea
respect g
She infor
gularity
they had
so for the
three in
periods.

Case 1st

Jane, Ætatis 26, of a Phlegmatic Temperament, was placed under the care of a Medical Gentleman on the 10th of March 1816 for the Cure of Epilepsy, of which she had been the Subject the preceding twelve months.

From the excellent health she had enjoyed previous to its attack, - and the good character she bore as it respected sobriety and regular habits, no evident cause could be assigned for her disease - At the time she applied for advice, her menstruation was regular - and except the disease, her general health was in every other respect good -

She informed me that the fits observed no regularity in their recurrence at first - but that they had evidenced a disposition to become so for the last four months, she having had three in that time, at regular & equidistant periods -

Her system
was just
in some
of the Ju
system
ordered,
ful of the
On the 2nd
plan of the
formed
ceding
ed with
viate tha
thinking
more of it

ing the
other sens
of exciting
said nor

Octo

since she

Her system being somewhat excited, at the time she was first visited, it was deemed proper to reduce it in some degree before she commenced with the use of the Turpentine. This being effected, and the system thereby prepared for its reception, she was ordered, on the 19th of the month, to take a teaspoonful of the turpentine three times a day.

On the 2nd of April, twelve days after she began this plan of treatment, she had a fit, but which, she informed me, was more mild than any of the preceding ones. The medicine was now continued, with an occasional suspension of its use to obviate strangury, until the middle of July, when thinking herself cured, she refused to take any more of it.

It may be proper to state here, that during the whole treatment, the turpentine had no other sensible effect on her system, except that of exciting the pulse, which, however, was only evident during the first two weeks of its use.

October 20th 1816. It is now better than six months since she had the last fit.

Miss M
tution,
1815
tomy of
and tw
From th
Oleum S
a short-
dead to p
The patie
Sunc a
a little p
On the 20
thought p
medicin
On the 20
away by
The co
she was o
with the n
mourning c

Case 2nd

Miss M— Ætatis 12 of a delicate and feeble constitution, was seized with Epilepsy, on the 20th of June 1815. The attack was not preceded by any symptoms of indisposition. She had three fits on the 20th and two the succeeding day.

From the success that had attended the use of the Oleum Terebinthinæ in the Epilepsy of Children a short time since in Charleston, it was concluded to make a trial of it in this case.

The patient was accordingly ordered on the 21st of June a small teaspoonful of the Turpentine in a little mucilage, morning and night.

On the 28th she had two more fits— It was now thought prudent to give the same quantity of the medicine, three times a day—

On the 28th the Turpentine purged her and brought away by stool several worms—

The cause of her fits being now made known, she was ordered a continuance of the medicine, with the view of divesting completely the alimentary canal of any more of these animals,

that night
he was
concluded
cuated a
continue
October 22
was since

Chap. E—
the preceding
fits in a
Concluding
ters case,
wise from
Imprinting
She took a
mucilage
day after
worry we
than a con
The propri

that might have been left behind.
No worms however, appearing by the 3rd of July it was concluded that the whole of them had been evacuated already. She was therefore ordered to discontinue its use.
October 22nd 1816. This Young Lady has continued well ever since.

Case 3rd

Chris E— M— Ætatis 14. a sister of the subject of the preceding case, was attacked with Epileptic fits in August 1816, nearly in the same way. Concluding from the circumstances of her sisters case, that the disease here originated likewise from worms in the alimentary Canal, the Turpentine was immediately resorted to.
She took a large teaspoonful of the medicine in mucilage, morning noon & night. In three days after she commenced its use, several worms were discharged by stool. This circumstance confirmed our suspicions.
The propriety of continuing its use a few days

longer, m
wonly o
cning e
not with d
pily –
October 2
well-ever

On the 28
ed medic
been the s
month –
This Gent
assign an
which th
He stated
of the time
but that on
before the
had a very
on which

longer was suggested to her Mother, but she strenuously objected to it giving as a reason, the sickening effects it had on her Child. However, notwithstanding this, the case terminated happily.

October 22nd 1816 This patient has also continued well ever since.

Case 4th

On the 28th August 1815 Mr. J. F. Grocer requested medical assistance for his negro Girl, who had been the subject of Epilepsy the preceding nine months.

This Gentleman informed me, that he could not assign any probable cause for the disease, with which this unfortunate Girl was afflicted. He stated that she had had during the whole of this time, a fit of Epilepsy every third week, but that on the 10th of the present month, ten days before the regular period of its return, she had a very violent fit, and on the 20th the day on which he called in medical aid, she had

the seve
The incu
quency of
of every p
for then
to actual
had all
The Girl
tution. -
On the nig
wheezed,
a feeble p
and suita
ous Fine
Being in
of the 21st
time in the
morning. -
On the 28th
September,
us suspe
But by the

three severe ones in the course of two hours-
This increase in the violence of the fits, and the frequency of their recurrence, added to the total failure of every plan of treatment that had been adopted for their cure, induced him at once to consent to a trial of the turpentine, the use of which, he had all along opposed-
This Girl was in her 18th year of a delicate constitution, and regular in her menstruation-
On the night of the 20th her system being somewhat exhausted, as was evidenced by nervous tremors & a feeble pulse, she was ordered a little Wine whey & a suitable draught of Laudanum & the Compound Tincture of Castor to be taken at bedtime.
Being in some measure revived on the morning of the 21st she commenced the use of the turpentine in the dose of ʒij, by measure, in mucilage morning, noon & night-
On the 28th she had another fit. On the 3rd of September, the occurrence of Strangury obliged us to suspend the turpentine for a few days-
But by the 6th of the month, it entirely disappeared

and she
From th
its use,
tim a
a strong
be prop
for a de
tors of
Octo
mo th
pertine,
lin ed
I. Mar
the Mar
of May 1
he had b
He
wit the
day or tw

and she resumed the use of the medicine.
From this time to the 15th of October, she continued its use, as directed, with the happy effect of putting a complete stop to the disease

As the turpentine in the above case, had a strong tendency to produce strangury it may be proper to state, that its use was suspended for a day or two at a time - whenever the symptoms of that distressing affection showed themselves.

October 15th 1815. It is now more than a twelve-month since she discontinued the use of the Turpentine, and has much to my satisfaction continued well ever since.

Case 5

J. Mas. Seaman. Ætatis 30, was admitted into the Marine Hospital of Charleston S. C. on the 16th of May 1815 for the cure of Epilepsy, with which he had been afflicted upwards of a twelve month.

He informed me, that he was first attacked with the disease sometime in March 1815; a day or two after he had received some very

dis[illegible]ping
cha[illegible]nge, [illegible]
Prev[illegible]
The Phys[illegible]
dic[illegible]ously [illegible]
gi[illegible]n in [illegible]
Gu[illegible]ded [illegible]
pu[illegible]ged [illegible]
le[illegible]n. [illegible]
As [illegible]
ha[illegible] prod[illegible]
G[illegible] on th[illegible]
tin[illegible]; to [illegible]
ac[illegible]ordin[illegible]
ic[illegible]ne - [illegible]
H[illegible]as tak[illegible]
em[illegible]en, wi[illegible]
in the sys[illegible]
On the 5th [illegible]
on - daily [illegible]
His sy[illegible]
a/c[illegible]ted, h[illegible]

distressing information respecting an unhappy change, which had taken place in his Fortune.

Previous to this, he enjoyed uninterrupted health. The Physician attached to the above Institution, judiciously put into practice, the remedies usually given in Epilepsy, without any advantage. Guided by the state of the system, he was bled, purged, and salivated; he took Bark. Zinc. valerian. Copper. and various other medicines.

As nothing which had hitherto been given had produced any good effect, I proposed to Dr. G. on the 2nd July 1816, a trial of the Turpentine; to this he readily assented. Mars was accordingly ordered a teaspoonful of the medicine in mucilage, morning, noon & night. It was taken from this time until the 3rd of September, without effecting any sensible change in the system.

On the 5th he had two fits, and continued to have one daily, for the three succeeding days.

His system at this juncture was much excited, his articulation difficult, and his

mus a
In consu
tin we
A contin
rable s
of the m
He dies
The sym
case, le
in the B
it. Ac
head was
exhibited
using the
clot from
serus the

Mary H
of robu
by a med
she has

mind evidenced symptoms of Fatuity.

In consequence of this state of things the turpentine was immediately discontinued

A continuance of the above mentioned unfavourable symptoms, prevented his resuming the use of the medicine.

He died about the end of the month.

The symptoms that attended this unfortunate case, led us to suspect the existence of mischief in the Brain, - it was therefore agreed to examine it. Accordingly, twenty four hours after death, the head was opened - and the brain examined. Its vessels exhibited strong marks of high excitement. Continuing the dissection, we arrived at the ventricles, from which we obtained nearly ℥ij of a serous fluid

Case 6

Mary Flemming - a coloured woman ætatis 25 of a robust habit of body - was received as a patient by a Medical Gentleman in November 1816. She has been the subject of Epilepsy from her

childh
case o
The ge
from a
disease
hereditary
though
make
in d
A Ol.
to
with th
Here o
reason
epilep
ordered
at the
well to
on an
On the
of an f
he pa

childhood. It appears, she has an attack of her dis
ease once in three months.
The gentleman who attended her informed me that
from what he could learn of the origin of the
disease in this case. he felt convinced it was
hereditary. That notwithstanding this, he
thought it both prudent and humane to
make a trial of the Turpentine. The follow
ing draught was ordered every second day.
℞ Ol: Terebinthinæ ℥ss. Mucilag: Gum: Arab: ℥ij
ss. This plan was adhered to for two weeks
with the effect of purging her slightly.
Her Physician being of opinion that its ope
ration in this way "took away from the anti
epileptic powers of the Turpentine". he now
ordered one half of the quantity to be taken
at the same intervals. This she contin
ued to take until the 20th of December with
out any disagreeable effects.
On the 26th of the month the period of the return
of her fits, she had a severe attack, which left
her partially paralytic for the succeeding week

Convinced
mor rea
previous
upon in

the abov
tuprent
the sam

hope a
in whic
called ne
of them

fourth
time p
And it
be eva
ter
the fun
fact fo

convinced that the Turpentine here, was productive of more real injury than any of the medicines she had previously taken - it was left off entirely & calomel taken in its stead

The Gentleman who favoured me with the above case has since informed me, that the turpentine was tried a second time, but with the same unfavourable results -

Having now given a brief and I hope accurate account of a few of the cases in which the Turpentine was exhibited - I proceed next to make a few remarks on each of them -

By a reference to the first & fourth cases, it will be found, that the turpentine put a complete stop to the disease - And it appeared to effect this, without any sensible evacuation from or operation on the system - It is true, as is stated in Case No. 1. the pulse was somewhat excited during the first few days of its use - and I may add

such
es. but
It will
jects of
that
Feeling
tempen
tients
of ascen
mentary
the dise
was dou

on from
may be
in curc
fault
therefor
it, solu
ving. T
a new
by effec

such was the fact with respect to the other cases; but it soon lost this effect in every instance. It will be recollected also, that both of the subjects of these two cases, were regular in their menstruation.

Feeling anxious to test fairly the efficacy of the turpentine, I ordered the stools of these patients to be carefully examined, with a view of ascertaining, whether there existed in the alimentary canal any worms, to whose presence the disease might have been attributed. This was done - but none were discovered.

Now, as there was no sensible evacuation from the system - or discharge of worms - it may be asked, how did the turpentine operate in curing these cases? I conceive it difficult to give a satisfactory reply. I shall therefore, not make any attempt to approach its solution, contenting myself with observing, that it probably acted by substituting a new action for that of the disease and thereby effected the cure.

From the
and 3.
book of
of com
as they
by cear
The
such c
mintic

An Epi
confirm
the rem
the
tion
ceeds
as iss
be to
ceding
Anthelm
of the
ginally

From the circumstances connected with the 2.nd and 3.rd Cases. it is evident that the disease in both of them was occasioned by the irritation of worms in the alimentary canal - for, as soon as they were evacuated. the fits immediately ceased -

The efficacy of the Turpentine then, in such cases is to be attributed to its anthelmintic powers -

As Epilepsy does in some instances become confirmed by repetition, notwithstanding the removal of its cause. And as the Turpentine appears to exert a peculiar operation in curing the disease - when it proceeds from other causes than abdominal irritation - would it not be advisable to give it in all cases of Epilepsy proceeding from worms - in preference to other anthelmintics? A firm belief - that many of the cases of Epilepsy in Children, originally the product of these vermin - be:

cone c
with the
foregoing
by the
pertinen
alude
it better
them an

Dr. the
Dr. dis
and as
cure be
notwithst
taken,
his case
indica
fel- of
and of
tho-
the phen
upon dy

come confirmed by repetition - and are kept up in this way - has induced me to propose the foregoing question.

If the opinion be well founded - and the turpentine really exerts the peculiar operation alluded to - I would not hesitate to declare it better adapted to these cases of Epilepsy than any remedy heretofore recommended.

On the Case of Mary, little need be said. His disease was evidently of mental origin, and as such - there was little prospect of a cure being effected -

Notwithstanding the great caution that was taken, not to exhibit the turpentine in his case - when there existed any contra indication to its use - still it had the effect of increasing the frequency of the fits and of exciting considerable arterial action -

From the history of the case and the phenomena which the brain exhibited upon dissection - I am clearly of opinion

the tumpe
symptoms
the close
and shou

the tumpe
ry. Th
tro, in a
was una
lected s
medicine,
ble resu
Indeed th
in that
been expe
say long
ce to a
the case
was the op
Ether.

the turpentine hastened the appearance of the symptoms of Fatuity - which came on near the close of his existence - and I may safely add, shortened his life -

In the case of Mary Flemming the turpentine was productive of real injury - This was evinced by the paralytic condition, in which the fits left her - while she was under its use It will be recollected she made a second trial of the medicine, - but with the same unfavourable result -

Indeed the disease was of such long standing that nothing favourable could have been expected from the turpentine - I say long standing - because, it is not reduced to a certainty - whether the disease in this case, was hereditary or not - altho' this was the opinion of the Gentleman who attended her -

In addition to the above cases -

the w
can th
them
Ju
In one
veed in
without
system
intwithr
ever p

of ma
drink-
or effe
same
that the
matter

married
think u
occurren

there were several others, in which I have seen the turpentine tried, - but in none of them was the result favourable

Two of these were of Hereditary origin In one case the turpentine was persevered in, from time to time, for six months without increasing the fits or affecting the system in any sensible degree - notwithstanding this, the disease was not even palliated -

In another case, that of a man ætatis 40. who was addicted to drink - the turpentine had an injurious effect - The fits became so frequent & came on so suddenly & unexpectedly that the patient was afraid of leaving home unattended - while he was under its use.

It was tried in the case of a married woman for some time - and I think with advantage But the frequent occurrence of Strangury, obliged us to re-

lingui

of my o
in Epi
has been
to the f

First.
will a
from t
mental
2dly.
cause
most
cut a
the dy
unmed

Lastly
will p
speedi

linguish its use before a cure was effected.

I have now given the result of my observations on the use of Turpentine in Epilepsy And from a review of what has been said, we may be allowed to come to the following conclusions.

First. That turpentine will be found well adapted to Epilepsy, proceeding from the irritation of worms in the alimentary canal

2dly. That in Epilepsy arising from other causes than worms, it will be found most useful in such cases as are of recent date. and connected with a state of the system indicating the use of tonic remedies.

and

Lastly. That as far as I have seen it will prove either totally inefficient or exceedingly pernicious in all cases.

of long
a Ho

of long standing - and in such as are of an Hereditary nature —

No 25

1818

Use of
Calomel
in the fevers of Children
Jno Carothers